

Int. J. Forest, Soil and Erosion, 2018 8(3)

ISSN 2251-6387

© August 2018, GHB's Journals, IJFSE, Shabestar, Iran

Research Paper

PHYSICO-CHEMICAL ANALYSIS OF SELECTED AGRICULTURAL SOIL SAMPLES IN JUNNAR TEHSIL OF PUNE DISTRICT, MAHARASHTRA

Acharya S.M

*Assistant Professor, College of Agriculture Business Management, Narayangaon
Maharashtra (India) email: smacharya.baif@gmail.com*

Abstract

In the present study to investigate the physico- chemical properties of Onion and Tomato soil at ten different sites of Junnar tehsil of Pune District. The soil parameters like soil pH, EC, Organic Carbon, Nitrogen, Potassium and Phosphorous content were analyzed. It was found that there was a marked variation in nutrients and parameters of various sample point in different farmers field. The results of the study show the low levels of Nitrogen, Phosphorous and Potassium in both sites. Also the organic matter is low during the study area.

Key words: Soil, Physico-Chemical, Low Levels.

INTRODUCTION

Soil may be defined as a thin layer of earth's crust which serves as a natural medium for the growth of plants. It is the unconsolidated mineral matter that has been subjected to, and influenced by genetic and environmental factors – parent material, climate, organisms and topography all acting over a period of time. Soil differs from the parent material in the morphological, physical, chemical and biological properties. Also, soils differ among themselves in some or all the properties, depending on the differences in the genetic and environmental factors. Thus some soils are red, some are black; some are deep and some are shallow; some are coarse-textured and some are fine-textured. They serve in varying degree as a reservoir of nutrients and water for crops, provide mechanical anchorage and favourable tilth. The components of soils are mineral material, organic matter, water and air, the proportions of which vary and which together form a system for plant growth; hence the need to study the soils in perspective. Soil sampling is perhaps the most vital step for any soil analysis. As a very small fraction of the huge soil mass is used for analysis, it becomes extremely important to get a truly representative soil sample of the field.

Soil test based nutrient management has emerged as a key issue in efforts to increase agricultural productivity and production since optimal use of nutrients, based on soil analysis can improve crop productivity and minimize wastage of these nutrients, thus minimizing impact on environment leading to bias through optimal production. Deficiencies of primary, secondary and micronutrients have been observed in intensive cultivated areas. The present study was aimed to investigate the analysis of physicochemical in agriculture soil (Onion and Tomato) at Junnar tehsil of Pune district (MS). Physical parameters like pH, Electrical Conductivity(EC), Organic Carbon (%), Salinity, Soil Texture, Color and Chemical parameters of Nitrogen, Phosphorus, Potassium were analyzed.

MATERIALS AND METHODS

Study Area

The soil samples were collected from the area Junnar tehsil of Pune district (MS). The Junnar tehsil is located on the north part of Pune district in Maharashtra state of India. It lies between 19° 12' north latitude to 73° 58' east. The climate here is tropical. When compared with winter, the summers have much more rainfall. In Junnar, the average annual temperature is 24.4 °C. The average annual rainfall is 913 mm.

Soil sampling

Soil samples were collected randomly at 0 to 20 cm depths with ten plots, ten samples from each plot, respectively. In well sterilize polythene pouches. Onion and Tomato soil samples were air dried .Then they are ground using mortar and pestle and passed through 2 mm sieved. Sieved samples were mixed and stored for subsequent physical, chemical analysis.

Soil sample were collected from following Farmers fields

Sample Number	Field sample	Name of the farmer	Village	Field from where samples collected
1	O-1	Shankar Kondaji Bochare	Sawargaon	Onion
2	O-2	Dasharath Tukaram Bochare	Umbraj	Onion
3.	O-3	Pratik Tanaji Dhule	Ale	Onion
4	O-4	Ganesh Kisan Lamkhede	Otur	Onion
5	O-5	Vittha Suresh Durafe	Narayangaon	Onion
6	O-6	Dharma Budha Dudhavade	Ambe gavhan	Tomato
7	T-2	Mangesh Tukaram Sahane	Padali	Tomato
8	T-3	Auti Shankar Kisan	Khodad	Tomato
9	T-4	Nalawade Mohan Sakharam	Dholwad	Tomato
10	T-5	Khilari Balasaheb Dadu	Rajuri	Tomato

O-Onion, T-Tomato

The collected samples were analyzed for major Physical and Chemical soil quality parameter like pH, Electrical Conductivity (EC), and Organic Carbon (OC), Nitrogen (N), Potassium (K) and Phosphorus (P) analysis by standard method (DIRD Pune 2009).

RESULTS AND DISCUSSION

Physico-chemical analysis of selected agricultural soil samples in Junnar Tehsil of Pune District, Maharashtra

Table 1. Physicochemical Parameters of Soil Samples

Sr.No	Parameters	O1	O2	O3	O4	O5	T1	T2	T3	T4	T5
1	Soil Nature	SCL	SCL	SCL	SCL	SCL	SCL	SCL	SCL	SCL	SCL
2	pH	7.2	6.6	6.5	6.4	7.1	6.4	6.4	6.7	6.8	6.9
3	E.C	0.2	0.17	0.15	0.14	0.11	0.14	0.12	0.15	0.11	0.15
4	Salinity	0.2	0.17	0.15	0.14	0.11	0.11	0.09	0.11	0.09	0.11
5	Organic Carbon (%)	0.32	0.24	0.22	0.34	0.24	0.24	0.28	0.30	0.32	0.32
	Available Nitrogen										
6	(Kg/H)	148	170	156	158	162	172	158	142	146	152
7	Phosphourus (Kg/H)	18	15	18	38.5	18	115.4	144.3	118.2	28.9	110.4
8	Potassium (Kg/H)	11.34	4.32	62.6	62.1	172.2	18.9	7.56	3.78	35.12	232.42

The physicochemical observations of ten soils of rice and turmeric field samples were presented in Table-1. The nature of soil in study area was Sand Clay Loam from all samples. In the present study, pH ranges from 6.4 to 7.2. The soil pH was found to be slightly acidic to neutral in all soils. Total biomass was greatest for Onion plants grown at a solution pH of 6.5.(C.D Kane et al,2006) The pH of soil is one of the most important parameter. At basic or low acidic pH soils usually cultivated rice (Chandra Sharma 2015). Soil EC is an important characteristic that can be used for nutrient availability and the soluble salt present in the soil. The conductivity values ranges from 0.11 to 0.2 μ S/cm. The electrical conductivity of R5 and T4 is value was less capered to sample of R1 area. Madhava Sarma (2015) studied crops vary to the degree of sensitivity to salts, but most crops tolerate levels of 1.1 or less with no effect on yield. Excess salinity may cause moisture stress within the plant. However, too pure of can also be detrimental. Water with too few salts can lead to surface soil dispersion and soil crusting. Salinity is a measure of the total amount of soluble salts in soil. As soluble salt levels increase, it becomes more difficult for plants to extract

water from soil. Salinity values above 2 dS/m begin to cause problems with salt sensitive plants, and values above 4 dS/m are problems for many garden and landscape plants (Vernon Paren 2010).

The salinity values ranges from 0.09 to 0.2 dS/cm. The salinity value was less capered to sample of area. The Organic Carbon

26 ranges from 0.22 to 0.32 %. Soil organic carbon is remarkably low in study area. This shows the potential of Poor soil organic carbon (SOC) reduces microbial biomass, activity, and nutrient mineralization due to a shortage of energy sources. Soil organic carbon results in less diversity in soil biota with a risk of the food chain equilibrium being disrupted which can cause disturbance in the soil environment (E.G., plant pest and disease increase, accumulation of toxic substances (Venkata Ramana 2015). Available nitrogen (N) ranges between 142 to 172 kg/ha. Available phosphorus (P) ranges between 15 to 118.2 kg/ha. Available potassium is ranged between 4.32 to

232.42 Kg/ha. Most in all the samples, less amount is present in agricultural soil.

Conclusion

The physicochemical parameters are important to agricultural for plant growth. From the results of the work, it can be concluded that the pH of soil samples were slightly acidic, conductivity, organic carbon and NPK values of all soil samples were found to be very less. In all samples were in lower amount so fertilizers containing were added for proper growth and development of crop.

Acknowledgement

The author is grateful to U.G.C., New Delhi for providing financial assistance to carry out the study. This investigation is part of PDF, one of the authors (Dr. Geetha. Saramanda) is thankful to Prof. T. Byragi Reddy and Prof. K.P.J. Hemalatha for fully supporting this research

REFERENCES

- Bowen, J.E. 1990. Plant tissue analysis of sugarcane, pp. 449-467. In: R.L. Westerman (Ed.), Soil Testing and Plant Analysis. SSSA Book Series 3. Soil Science Society of America, Madison, WI.
- Chandra Sharma, Physico-Chemical Properties of Soils with Special Reference to Organic Carbon Stock under Different Land Use Systems in Dimoria Tribal Belt of Assam IOSR Journal of Agriculture and Veterinary Science (IOSR-JAVS) Volume 8, Issue 3 Ver. III (Mar. 2015), PP 32-36
- Chapman, H.D. 1967. Plant analysis values suggestive of nutrient status of selected crops, pp. 77-92. In: G.W. Hardy (Ed.), Soil Testing and Plant Analysis. Plant Analysis. Part 11. Special Publication No. 2. Soil Science Society of America, Madison, WI.
- Cline, M. G. 1944. Principles of soil sampling. Soil Science 58:275-288.
- Crepin, J., and R. L. Johnson. 1993. Soil sampling for environmental assessment Pages 5- 24 in M. R. Carter, editor, Soil Sampling and Methods of Analysis. Lewis Publishers, Boca Raton, Florida, USA
- Directorate of Irrigation Research & Development, Pune; 2009 Laboratory Testing Procedure for Soil and Water Sample Analysis, ISO 9001:2000 Certified.
- Goodall, D.W. and P.G. Gregory. 1947. Chemical Composition of Plants as an Index of their Nutritional Status. Imperial Bureau Horticultural Plantation Crops. Technical Communication No. 17. Ministry of Agriculture, London, England.
- James, D., and K.L. Wells. 1990. Soil sample collection and handling: technique based on source and degree of field variability. In: R. L. Westerman (ed), Soil testing and plant analysis. 3rd ed. Soil Sci. Soc. Am., Inc. Madison, WI. p. 25-44.
- Jones, J.B. Jr., and V.W. Case. 1990. Sampling, handling, and analyzing plant tissue samples. In: R.L. Westerman (ed), Soil testing and plant analysis. 3rd ed. Soil Sci. Soc. Am., Inc. Madison, WI. p. 389-447.
- Jones, Jr., J.B. 1994c. Tissue Testing (VHS video). St. Lucie Press, Delray Beach, FL.
- Jones, Jr., J.B. and V.W. Case. 1990. Sampling, handling, and analyzing plant tissue samples, pp. 389-427. In: R.L. Westerman (Ed.), Soil Testing and Plant Analysis. SSSA Book Series 3. Soil Science Society of America, Madison, WI.
- Kalra, Y.P., and D. G. Maynard. 1991. Methods Manual for Forest Soil and Plant Analysis. Information Report NOR-X-319. Forestry Canada, Northwest Region, Northern Forestry Centre, Edmonton, Alberta, Canada.
- Kane C.D et al, 2006 Nutrient Solution and Solution pH Influences on Onion Growth and Mineral Content*

- Madhava Sarma, D., Venkata Rao, B., Vasantha Lakshmi, M., B., Chakravarthi, Sravanthi, P.S.S. and Padmavathi, T.V.S. 2015. Soil Analysis and Fertilizer Recommendations for Paddy Cultivars of Pentapadu Tehsil with Special Reference to Zinc. *Int. J. Adv. Res. Sci. Technol.* Volume 4, Issue 6, pp.409-413.
- Sabbe, W.E., and D.B. Marx. 1987. Soil sampling: spatial and tem-poral variability. In: J.R. Brown (ed), *Soil testing: sampling, correlation, calibration, and interpretation*. Soil Sci. Soc. Am. Special Publ. no. 21. Madison, WI. p. 1-14.
- Sharma, P.K. 2004. Emerging technologies of remote sensing and GIS for the development of spatial infrastructure. *J. Indian Soc. Soil Sci.*, 52: 384-406.
- Soil test based fertilizer application. Indian Council of Agricultural Research, New Delhi. Acharya N.G. Ranga Agricultural University, Hyderabad and Dept. of Agriculture, A.P., Hyderabad
- Venkata Ramana, C.H. Bhaskar, C.H. Prasada Rao, P.V.V. and Byragi Reddy, T. 2015. Soil quality in four different areas of Visakhapatnam city, Andhra Pradesh, *IndiaInt. J. Curr.Microbiol. App. Sci* 4(1): 528-532
- Vernon Parent, Washington County Extension Agent Rich Koenig, Extension Soil Specialist; *Solutions to Soil Problems I. High Salinity (soluble salts)* Utah State University; 2010 <https://extension.usu.edu>.